

Introduction to Model Selection

2025 Woods Hole Molecular Evolution Workshop

David Swofford

Florida Museum of Natural History
University of Florida
davidswofford@ufl.edu

What is a (statistical) model?

Daniel L. Hartl, 2000:

A **model** is an intentional simplification of a complex situation designed to eliminate extraneous detail in order to focus attention on the essentials of the situation.

Wikipedia 27 May 2022:

A **statistical model** is a **mathematical model** that embodies a set of **statistical assumptions** concerning the generation of **sample data** (and similar data from a larger **population**). A statistical model represents, often in considerably idealized form, the data-generating process.

Jordan Peterson


Jordan Bernt Peterson is a Canadian clinical psychologist, YouTube personality, author, and a professor emeritus at the University of Toronto. Peterson began to receive widespread attention as a public intellectual in the late 2010s for his views on cultural and political issues, often described as conservative.

[Wikipedia](#)




Peterson on models (with Joe Rogan)


Which is more useful?



“Reality”



Detailed map



Detailed public transportation



Simplified metro

Models don't need to reflect reality


"The most that can be expected from any model is that it can supply a useful approximation to reality: **All models are wrong; some models are useful**". (George E. P. Box, 1987)

Model selection is a process of seeking the least inadequate model from a predefined set, all of which may be grossly inadequate as a representation of reality. (J. J. Welch, 2006)

Why do models matter?

Model-based methods including ML and Bayesian inference (typically) make a *consistent* estimate of the phylogeny (estimate converges to true tree as number of sites increases toward infinity)


... even when you're in the "Felsenstein Zone"



(Felsenstein, 1978)



In the Felsenstein Zone



Simulation model = GTR

Why do models matter (continued)?

- Parsimony is inconsistent in the Felsenstein zone (and other scenarios)
- Likelihood is consistent in any “zone” (when certain requirements are met)

But this guarantee requires that the model be specified correctly!

Likelihood can also be inconsistent if the model is oversimplified

- Real data always evolve according to processes more complex than any computationally feasible model would permit, so we have to choose “good” rather than “correct” models

What is a “good” model?

Parsimony in statistics represents a tradeoff between bias and variance as a function of the dimension of the model. A good model is a balance between under- and over-fitting. (Burnham and Anderson, 1998)

The Trump administration’s “cubic model” of coronavirus deaths, explained

An extremely foolish way to forecast the pandemic.

By Matthew Yglesias | @mattyglesias | matt@vox.com | May 8, 2020, 11:00am EDT




Chairman of the Council of Economic Advisers Kevin Hassett with reporters outside the White House on May 3, 2019. | Chip Somodevilla/Getty Images

<https://www.vox.com/2020/5/8/21250641/kevin-hassett-cubic-model-smoothing>

Using curve fitting to predict COVID-19 deaths

United States Daily COVID-19 Deaths: Actual Data, IHME/UW Model Projections, & Cubic Fit.

Updated today (5/5/20), data through yesterday (5/4/20).







From "free range statistics" blog

(Peter Ellis)


"It's so bad it's funny. This is clearly incompetence not malevolence. But it's a serious degree of incompetence."




Simple linear regression




Quadratic model




Cubic model



7th order polynomial






Why models don't have to be perfect


Assertion: In most situations, phylogenetic inference is relatively robust to model misspecification, *as long as critical factors influencing sequence evolution are accommodated*

Caveat: There are some kinds of model misspecification that are very difficult to overcome (e.g., “heterotachy”)

E.g.:




Half of sites



Other half

Likelihood can be consistent in Felsenstein zone, but will be inconsistent if a single set of branch lengths are assumed when there are actually two sets of branch lengths (Chang 1996) (“heterotachy”)

GTR Family of Reversible DNA Substitution Models




Modeling among-site rate heterogeneity

Lemur	AAGCTTCATAG	TTGCATCATCCA	...TTACATCATCCA
Homo	AAGCTTCACCG	TTGCATCATCCA	...TTACATCCTCAT
Pan	AAGCTTCACCG	TTACGCCATCCA	...TTACATCCTCAT
Goril	AAGCTTCACCG	TTACGCCATCCA	...CCCACGGACTTA
Pongo	AAGCTTCACCG	TTACGCCATCCT	...GCAACCACCCTC
Hylo	AAGCTTTACAG	TTACATTATCCG	...TGCAACCGTCCT
Maca	AAGCTTTTCCG	TTACATTATCCG	...CGCAACCATCCT

- Proportion of invariable sites
 - Some sites extremely unlikely to change due to strong functional or structural constraint (Hasegawa et al., 1985)
- Gamma-distributed rates
 - Rate variation assumed to follow a gamma distribution with shape parameter α
- Site-specific rates (another way to model ASRV)

Modeling ASRV with gamma distribution



...can also include a proportion of “invariable” sites (p_{inv})

Performance of ML when its model is violated

Syst. Biol. 50(5):723–729, 2001

Should We Use Model-Based Methods for Phylogenetic Inference When We Know That Assumptions About Among-Site Rate Variation and Nucleotide Substitution Pattern Are Violated?

JACK SULLIVAN¹ AND DAVID L. SWOFFORD²

¹*Department of Biological Sciences, Box 443051, University of Idaho, Moscow, Idaho 83844-3051, USA;
E-mail: jacks@uidaho.edu*

²*Laboratory of Molecular Systematics, Smithsonian Museum Support Center, 4210 Silver Hill Rd., Suitland,
Maryland 27460, USA; E-mail: swofford@lms.si.edu*

Generating model:

GTR substitution model:

$$\begin{array}{ll} \pi_A = 0.30 & r_{AC} = 5.0 \\ \pi_C = 0.25 & r_{AG} = 10.0 \\ \pi_G = 0.15 & r_{AT} = 3.0 \\ \pi_T = 0.30 & r_{CG} = 1.0 \\ & r_{CT} = 15.0 \\ & r_{GT} = 1.0 \end{array}$$

Three rate heterogeneity conditions:

“Extreme”: $p_{\text{inv}}=0.5$, $\alpha=0.5$

“Strong”: $p_{\text{inv}}=0.5$, $\alpha=1$

“Weak”: $p_{\text{inv}}=0.2$, $\alpha=1$






Performance of ML when its model is violated

Tree








$\alpha = 0.5$, pinv=0.5

$\alpha = 1.0$, pinv=0.5

$\alpha = 1.0$, pinv=0.2




Proportion Correct




Sequence Length

“MODERATE”–Felsenstein zone

$$\alpha = 1.0, p_{\text{inv}}=0.5$$



“MODERATE”–Inverse-Felsenstein zone



Likelihood ratio tests


- Calculate "delta" statistic

$$\delta = 2(\ln L_1 - \ln L_0)$$

If model 0 (simpler) is nested within model 1 (more complex), δ is asymptotically distributed as a χ^2 random variable with degrees-of-freedom equal to the difference in number of free parameters.*


**An additional adjustment is needed when parameters of the simpler model are at a boundary of the parameter space for the more complex model, but we won't worry about that here*

Histogram of $\delta = 2(\ln L_0 - \ln L_1)$



Histogram of $\delta = 2(\ln L_0 - \ln L_1)$

JC vs K80 models



Model selection criteria

- Akaike information criterion (AIC)

$$AIC_i = -2 \ln L_i + 2k$$

where k is the number of free parameters estimated

- AICc (corrected AIC)

$$AIC_c = AIC + \frac{(2k(k+1))}{(n-k-1)}$$

- Bayesian information criterion (BIC)

$$BIC_i = -2 \ln L_i + k \ln n$$

where k is the number of free parameters estimated and n is the “sample size” (typically number of sites)

Parsimony-like ML models



Bulletin of Mathematical Biology, Vol. 59, No. 3, pp. 581–607, 1997

Elsevier Science Inc.

© 1997 Society for Mathematical Biology

0092-8240/97 \$17.00 + 0.00

S0092-8240(97)00001-3

LINKS BETWEEN MAXIMUM LIKELIHOOD AND MAXIMUM PARSIMONY UNDER A SIMPLE MODEL OF SITE SUBSTITUTION

■ CHRIS TUFFLEY and MIKE STEEL
Biomathematics Research Centre,
Department of Mathematics and Statistics,
University of Canterbury,
Christchurch, New Zealand

(E.mail: m.steel@math.canterbury.ac.nz)

6.1. *Equivalence of maximum parsimony and maximum likelihood with no common mechanism.* Theorem 1 may be used to demonstrate the equivalence of the inference methods of maximum parsimony and maximum likelihood with no common mechanism under the fully symmetric model. By “no common mechanism,” we mean that we may choose a different vector of mutation probabilities for each character, rather than requiring all of them to evolve according to a single vector of mutation probabilities, as is usually the case. This approach has the drawback that it is not necessarily statistically consistent; see below.

Parsimony-like ML models

But using the Tuffley-Steel model does ***not*** justify use of parsimony, as it can be formally proven that none of the standard model selection criteria (e.g., AIC, BIC) will ever prefer the no-common-mechanism model!

Syst. Biol. 59(4):477–485, 2010

© The Author(s) 2010. Published by Oxford University Press, on behalf of the Society of Systematic Biologists. All rights reserved.

For Permissions, please email: journals.permissions@oxfordjournals.org

DOI:10.1093/sysbio/syq028

Advance Access publication on May 31, 2010

The Akaike Information Criterion Will Not Choose the No Common Mechanism Model

MARK T. HOLDER^{1,*}, PAUL O. LEWIS², AND DAVID L. SWOFFORD^{3,4}

¹Department of Ecology and Evolutionary Biology, University of Kansas, 1200 Sunnyside Avenue, Lawrence, KS 66045, USA; ²Department of Ecology and Evolutionary Biology, University of Connecticut, 75 North Eagleville Road, Unit 3043, Storrs, CT 06269-3043, USA; ³Institute for Genome Sciences and Policy Center for Evolutionary Genomics, Duke University, Durham, NC 27708, USA; and ⁴National Evolutionary Synthesis Center, 2024 W. Main Street, Durham, NC 27705, USA;

*Correspondence to be sent to: Department of Ecology and Evolutionary Biology, University of Kansas, 1200 Sunnyside Avenue, Lawrence, KS 66045, USA; E-mail: mtholder@ku.edu.

Received 12 May 2009; reviews returned 6 July 2009; accepted 21 January 2010
Associate Editor: Olivier Gascuel

AIC(c) vs. BIC

- BIC performs well when true model is contained in model set, and among a set of simple-ish models, AIC often selects a more complex model than the truth (indeed, AIC is formally statistically inconsistent)
- But in phylogenetics, no model is as complex as the truth, and the true model will never be contained in the model set.
- BIC often chooses models that seem *too simple!*.

Opinion: Studies that evaluate the performance of model selection criteria based on their ability to choose the “true” model from a set of competing models are fundamentally flawed.

Partitioned Models

Many authors have emphasized the importance of modeling heterogeneity among genes or other subsets of the data appropriately

“...data partitioning is more an art than a science, and it should rely on our knowledge of the biological system...”

Yang and Rannala (2012; *Nature Rev. Genet.* 13:303-314)

Ways to partition based on biological criteria

- By gene
- By codon
- By gene/codon combination
- Stems vs. loops (probably not advisable—
e.g., Simon et al., 2006)
- Coding vs. noncoding

Naive partitioning

- Run ModelTest/JModelTest; estimate a model (from the GTR+I+G family) separately for each gene/subset
- Perform an ML/Bayesian analysis, assigning the chosen models to each gene (with unlinked parameters)

Too many parameters! 1-10 parameters for each gene; amount of data available to estimate each parameter does not increase

Over-Partitioning

Consider the following (contrived) example:


- Gene A: HKY+G, $\pi = (0.26, 0.24, 0.23, 0.27)$, $\kappa=1.1$, $\alpha=3.0$
- Gene B: GTR, $\pi = (0.25, 0.24, 0.25, 0.26)$, $(a, b, c, d, e) = (1.1, 1.2, 0.9, 1.1, 0.95)$
- Gene C: JC+I ($p_{inv}=0.05$)

These are all GTR models that are not far from the Jukes-Cantor model, but they all have different names

Better to estimate one GTR model (even with $5+3+1+1=10$ parameters, estimated from all data) than 3 separate models with $2+5+1=8$ parameters (but only one gene's worth of data for each model)

How to find optimal partitionings?

Consider a data
set with 3 genes,
A, B, and C:



For each partitioning scheme, evaluate some set of models from the GTR+I+G (e.g., 56 models) according to AIC or BIC

Choose a combination of partitioning scheme and model for subsequent partitioned-model analyses

Rob Lanfear's **PartitionFinder** (<http://www.robertlanfear.com/partitionfinder/>) automates this process; method now also available in PAUP*


How many partitionings?

In general, the number of partitionings on n subsets is a “Bell number”

N	Bell number
2	2
3	5
4	15
5	52
6	203
7	877
12	4×10^6
60	9.8×10^{59}

Obviously, there are too many partitioning schemes to evaluate them all for more than a few subsets.

Greedy algorithm when there are too many partitionings



$$1 + n(n^2 - 1)/6 = 11 \text{ schemes}$$

For 1265 genes, there would still be 337,380,561 schemes to evaluate!

How to partition thousands of genes (or other subsets)?

Cluster analysis

- Li, Lu, and Orti (2008)

Estimate model parameters on a shared model; similar subsets will have similar parameter estimates and will cluster together.

Problem? Similar models (in the sense of predicting similar site pattern frequencies), can have different parameter MLEs. Must use same model for all subsets.

- Frandsen et al. (2015); Lanfear et al. (2016): PartitionFinder2)

Hierarchical (or non-hierarchical k-means) clustering using same idea as Li et al. (very efficient implementation)

Is model selection really needed?

Abadi et al. (2019, *Nature Communications*):

ARTICLE

<https://doi.org/10.1038/s41467-019-08822-w>

OPEN

Model selection may not be a mandatory step for phylogeny reconstruction

Shiran Abadi ¹, Dana Azouri^{1,2}, Tal Pupko² & Itay Mayrose ¹

Determining the most suitable model for phylogeny reconstruction constitutes a fundamental step in numerous evolutionary studies. Over the years, various criteria for model selection have been proposed, leading to debate over which criterion is preferable. However, the necessity of this procedure has not been questioned to date. Here, we demonstrate that although incongruency regarding the selected model is frequent over empirical and simulated data, all criteria lead to very similar inferences. When topologies and ancestral sequence reconstruction are the desired output, choosing one criterion over another is not crucial. Moreover, skipping model selection and using instead the most parameter-rich model, GTR+I +G, leads to similar inferences, thus rendering this time-consuming step nonessential, at least under current strategies of model selection.

Should model selection be abandoned?

Michael Gerth

Why we should not abandon model selection in phylogeny reconstruction

31/3/2019

[7 Comments](#)

A recent paper in *Nature Communications* ([Abadi et al. 2019](#)) investigated model selection in phylogeny reconstruction. Selecting an appropriate model of nucleotide substitution is considered best practice in phylogenetics, and indeed many studies have shown that accurate modelling of substitution processes can substantially improve phylogenetic estimates. The authors quite surprisingly find that this practice may not be necessary after all. From multiple datasets of diverse simulated sequences, they find that the models chosen by commonly used criteria do not perform better than the most complex model. They conclude that cases model selection can be skipped altogether, and all phylogenetic inferences be performed with a complex model.

<https://www.michaelgerth.net/news--blog/why-we-should-not-abandon-model-selection-in-phylogeny-reconstruction>

ModelTeller: Model Selection for Optimal Phylogenetic Reconstruction Using Machine Learning

Shiran Abadi ¹, Oren Avram,² Saharon Rosset,³ Tal Pupko,² and Itay Mayrose^{*,1}

¹School of Plant Sciences and Food security, Tel-Aviv University, Tel-Aviv, Israel

²School of Molecular Cell Biology & Biotechnology, Tel-Aviv University, Tel-Aviv, Israel

³Department of Statistics and Operations Research, School of Mathematical Sciences, Tel-Aviv University, Tel-Aviv, Israel

***Corresponding author:** E-mail: itaymay@tauex.tau.ac.il.

Associate editor: Li Liu

Abstract

Statistical criteria have long been the standard for selecting the best model for phylogenetic reconstruction and downstream statistical inference. Although model selection is regarded as a fundamental step in phylogenetics, existing methods for this task consume computational resources for long processing time, they are not always feasible, and sometimes depend on preliminary assumptions which do not hold for sequence data. Moreover, although these methods are dedicated to revealing the processes that underlie the sequence data, they do not always produce the most accurate trees. Notably, phylogeny reconstruction consists of two related tasks, topology reconstruction and branch-length estimation. It was previously shown that in many cases the most complex model, GTR+I+G, leads to topologies that are as accurate as using existing model selection criteria, but overestimates branch lengths. Here, we present ModelTeller, a computational methodology for phylogenetic model selection, devised within the machine-learning framework, optimized to predict the most accurate nucleotide substitution model for branch-length estimation. We demonstrate that ModelTeller leads to more accurate branch-length inference than current model selection criteria on data sets simulated under realistic processes. ModelTeller relies on a readily implemented machine-learning model and thus the prediction according to features extracted from the sequence data results in a substantial decrease in running time compared with existing strategies. By harnessing the machine-learning framework, we distinguish between features that mostly contribute to branch-length optimization, concerning the extent of sequence divergence, and features that are related to estimates of the model parameters that are important for the selection made by current criteria.

Key words: model selection, phylogenetic reconstruction, simulations, nucleotide substitution models, machine learning, Random Forest for regression.